

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 1. CHEMICAL PRODUCT and COMPANY IDENTIFICATION

Identification: Product Name: Mat & Table Top Cleaner
Product Number: # 6001, 6002
Synonym: Conductive cleaner

Recommend use: Neutral cleaner for anti-static mats and furniture

Manufacturer: ACL Incorporated
840 West 49th Place
Chicago, IL 60609
PH: (01) 847.981.9212 [U.S.A.]
FAX: (01) 847.981.9278 [U.S.A.]

Emergency telephone: INFOTRAC: (01) 800.535.5053 (day or night)

Section 2. HAZARDOUS IDENTIFICATION

2.1 Classification of the substance or mixture

Product definition: Mixture

Physical hazard: Not classified under GHS. Non-flammable and non-explosive product

Health hazard: Skin irritation / category 2
Eye irritation / category 2A

Environment hazard: Not classified. The product has no environmentally hazardous properties.
P102 Keep out of reach of children

2.2 Label Elements

Hazard Pictograms:



Signal Word: Warning

Hazard Statement:

Harmful if swallowed or in contact with skin (H302 + H312)
Causes skin irritation (H315)
Causes serious eye irritation (H319)

Precautionary Statements:

General:

If medical advice is needed, have container or label at hand (P101)
Keep out of reach of children (P102)
Read label before use (P103)

Prevention:

Wash hands thoroughly after handling (P264)
Do not eat, drink, or smoke when using this product (P270)

Wear protective gloves, protective clothing and eye protection (P280)

Response:

IF INHALED, call poison center if you feel unwell (P304 + P312)

IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 +P351 + P338)

If eye irritation persists, get medical attention or advice (P337 + P313)

IF ON SKIN, wash with plenty of water. (P302 + P352)

Take off contaminated clothing and wash before reuse (P362 + P364)

Call doctor center if you feel unwell (P312)

If skin irritation or rash occurs: Get medical attention (P332 + P313)

Storage: NE (see section 7)

Disposal: Dispose of contents in accordance with state and local laws as they vary (P501)

Section 3.	COMPOSITION / INFORMATION ON INGREDIENTS
-------------------	---

CHEMICAL	C.A.S.	EINECS	EU Class	Weight %
Deionized Water	7732-18-5	231-791-2		93 -98
Benzenesulfonic acid, C10-16-alkyl derives., calcium salts	68584-23-6	271-529-4	R23, R34, R45, R36/37/38	1 – 2
Ethylbis (hydroxyethyl)tallow alkyl, ethoxylated, Et sulfates	68071-95-4		R36/38, R45	< 1
Ethanol, 2,2'-iminobis-	111-42-2	203-868-0	Xn: R22, R48/22 Xi: R38, R41	< 1
Alcohols, C10-14, ethoxylated	66455-15-0		R36, R37	< 1
Sodium Hydroxide	1310-73-2	215-185-5	R35	<< 1
2-Propanol	67-63-0	200-661-0	R11, R36, R67	<< 1

Section 4	FIRST AID MEASURES
------------------	---------------------------

Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Section 5	FIRE FIGHTING MEASURES
------------------	-------------------------------

Flash Point & Method: None

Extinguishing Media: water, foam, dry chemical & carbon dioxide

Fire Fighting Equipment: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

Hazardous Combustion Products: Smoke, fumes and oxides of carbon.

Section 6	ACCIDENTAL RELEASE MEASURES
------------------	------------------------------------

Avoid runoff into storm sewers and ditches which lead to waterways. Absorb the liquid and scrub the area with detergent and water.

Section 7	HANDLING AND STORAGE
------------------	-----------------------------

Handling: Wash thoroughly after handling. Use only in a well ventilated area. Store in a cool dry place.

Storage Temperatures: Store in a cool place in original container and protect from sunlight.

Storage Pressure: Store at local atmospheric pressure.

General: Observe good housekeeping practices. Follow all MSD sheet and label warnings even after container is emptied.

This product has a shelf life of three years from the date of manufacturing.

Section 8	EXPOSURE CONTROL / PERSONAL PROTECTION
------------------	---

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)					
		Exposure Limits			
		OSHA PEL		ACGIH TLV	
Chemical Name		ppm	Mg/m ³	ppm	Mg/m ³
2- Propanol	TWA	400 ppm	980 Mg/m ³	400 ppm	983 Mg/m ³
	STEL	500 ppm	1225 Mg/m ³	500 ppm	1230 Mg/m ³
Sodium hydroxide	TWA	NE	NE	NE	NE
	STEL	NE	NE	NE	NE
Ethanol, 2, 2'-iminobis-	TWA	NE	NE	NE	NE
	STEL	NE	NE	NE	NE

Engineering Controls: Local Exhaust ventilation acceptable

Personal Protection:

Respirator If concentrations are over the exposure limit and are known, air purifying respirator with Organic Vapor Cartridges may be acceptable. Refer to cartridges for acceptable levels. If concentrations are over exposure limits and are unknown, use a supplied air respirator.

Hand Protection Gloves Recommended: Solvex, neoprene, viton, butyl, buna, natural latex acceptable.

Eye Protection: For normal conditions, may use without safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

Section 9	PHYSICAL AND CHEMICAL PROPERTIES
------------------	---

Appearance	Clear blue liquid
Odor	Mild soapy scent
pH	Neutral
Melting point/freezing point	NE / 32°F (0°C)
Initial boiling point and boiling range	100°C (212°F)
Flash point and method	None
Evaporation rate	Slower (relative to n-Butyl Acetate)
Flammability (solid, gas, liquid)	NA
Upper/lower flammability or explosive limits	NA
Vapor pressure	NE
Vapor density (air=1)	NE
Relative density	1.01
Solubility(ies).	Miscible
Partition coefficient: n-octanol/water	NE
Autoignition temperature	NA
Decomposition temperature	NE
Viscosity	NE
Volatile by weight	NE
VOC	< 1.81 g/l
VOC as per CARB 310	0.181%

Section 10	STABILITY AND REACTIVITY
-------------------	---------------------------------

General: Stable. Polymerization will not occur.

Incompatible Materials and Conditions to Avoid: May decompose if heated.

Hazardous Decomposition: Oxides of Carbon (CO and CO₂) may form when heated to decomposition.

Section 11	TOXICOLOGY INFORMATION
-------------------	-------------------------------

Human Experience: OSHA / NTP / DHHS - This product contains residuals of ethylene oxide which is a known carcinogen listed on the 11th Report on Carcinogens (RoC) and NIOSH carcinogen list.

LD₅₀ Rabbit (dermal) 12,800 mg/kg (Isopropanol)

LD₅₀ Rat (inhalation) 16,000 ppm: 8 hours (Isopropanol)

LD₅₀ Rabbit (oral) 6410 mg/kg (Isopropanol)

Section 12	ECOLOGICAL INFORMATION
-------------------	-------------------------------

Isopropyl alcohol has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the microorganisms from activated sludge.

Section 13	DISPOSAL CONSIDERATIONS
-------------------	--------------------------------

RCRA 40 CFR 261 Classifications:

As packaged and after use, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D.

Federal, State, and Local laws governing disposal of material can differ.

Ensure proper disposal compliance with proper authorities before disposal.

Section 14	TRANSPORTATION INFORMATION
-------------------	-----------------------------------

U.S. DOT Information: Proper Shipping Name: Non Hazardous Material
Hazard Class: NA

IATA: Not Dangerous as per IATA regulation or Not classified as dangerous goods

Section 15	REGULATORY INFORMATION
-------------------	-------------------------------

US Federal Regulations: MSDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/Superfund, 40 CFR 117.302:

Residual ethylene oxide, RQ 10

Ethanol, 2,2'-iminobis-, RQ 100

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – Extremely hazardous substances (40 CFR 355): None of the chemicals are Section 302 hazards

Section 311/312 – (40 CFR 370): By our hazard evaluation, this product is non-hazardous.

Section 313 – List of Toxic Chemicals (40CFR 372): This product does not contain chemicals (at level of 1% or greater) found on the 313 list of Toxic Chemicals.

Toxic Substance Control Act (TSCA): **All substances are TSCA listed.**

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13 for RCRA classification.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311), Clean Air Act:
Clean Air Act: Ethanol, 2,2'-iminobis- (CAS 111-42-2) < 1%

STATE REGULATIONS:

California Proposition 65: This product may contain a residual component (ethylene oxide, CAS# 75-21-8) known in the state of California to cause cancer.

INTERNATIONAL REGULATIONS:

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

To the best of our ability, this MSDS is written in accordance to REACH Directive EC1907/2006 Annex II and GHS requirements. This product is not subject to REACH restrictions. It does not contain any candidates on the SvHC.

Sections 16	OTHER INFORMATION
--------------------	--------------------------

NFPA Health: Can cause significant irritation
NFPA Fire: Will not burn
NFPA Instability: Stable
NFPA Reactivity: None



REVISION DATES, SECTIONS, REVISED BY:

16-OCT-95,	Updated Section 2, B. Riffel
26-FEB-97,	Updated Section 9, B. Riffel
18-SEP-98,	Updated Section 4, B. Riffel
02-APR-01,	Reviewed
07-MAY-02	Updated Sections 2, 10, & 13 MKB
29-MAY-02	Updated Section 16 MKB
04-MAY-04	New Format, updated sections 2, 9 & 15 mkb
07-MAR-07	Updated sections, 5, 11, 15 mkb
14- MAY-08	Updated section 7, mkb
04-MAR -09	Updated and reviewed all sections, mkb
07-DEC-09	Section 3 correction, mkb
25-JUNE-10	Section 1, address correction, mkb
3-Mar-11	Section 9 revision, mkb
1-Nov-12	Added GHS elements, mkb
28-April-14	Added GHS elements, mkb
22-JAN-15	Added GHS elements, mkb
11-Mar-15	section 10, mkb

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR)
The Sigma-Aldrich Library of Regulatory and Safety Data
Chemical Guide and OSHA Hazardous Communication Standard
The Environmental Protection Agency (www.epa.gov)
ANSI Standard: ANSI Z400.1-1998
Merck Index

To the best of our knowledge, the information contained herein is accurate. **However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.